


FLUSH-MOUNTED DIFFUSER SERIES

DP-RC 125
DP-RC 150
DP-RC 160
DP-C 125
DP-C 150
DP-C 160




Flush-mounted diffusers DP-RC/C are a perfect solution for rooms of different designs and purposes as they are almost unnoticeable on the ceiling, they have stylish appearance and can be painted to match the necessary color. Round and square panel shapes are available to match the room's geometry. Attachable 125, 150 or 160 mm air ducts allow to arrange the necessary air distribution patterns.



The decorative panels are fixed with magnets, which allows for easy and fast maintenance



Easy mounting under suspended ceiling, attached to various elements of air duct systems



Pressure loss is minimized due to the aerodynamic shape



Eight-segmented throttle enables adjusting the necessary air flow

Assortment



DP-RC 125



DP-RC 150/160




DP-C 125



DP-C 150/160




Metal flange (MF) with a cuff to be attached to metal air ducts or mounting elements



Plastic flange (default) to be attached to rigid or flexible ducts


| Model | Dimensions [mm] | | | | | | | | |
|--------------|-----------------|-----|-----|-----|-----|-----|-----|----|----|
| | D | D1 | D2 | L | L1 | L2 | H | H1 | B |
| DP-RC 125 | 125 | 250 | 234 | 323 | - | - | 108 | 59 | 80 |
| DP-RC 125 MF | 124 | 250 | 234 | 323 | - | - | 99 | 50 | 80 |
| DP-RC 150 | 150 | 300 | 241 | 374 | - | - | 117 | 59 | 80 |
| DP-RC 150 MF | 149 | 300 | 241 | 374 | - | - | 108 | 50 | 80 |
| DP-RC 160 MF | 157 | 300 | 241 | 374 | - | - | 108 | 50 | 80 |
| DP-C 125 | 125 | - | - | 329 | 250 | 208 | 108 | 59 | 80 |
| DP-C 125 MF | 124 | - | - | 329 | 250 | 208 | 99 | 50 | 80 |
| DP-C 150 | 150 | - | - | 379 | 300 | 255 | 118 | 59 | 80 |
| DP-C 150 MF | 149 | - | - | 379 | 300 | 255 | 108 | 50 | 80 |
| DP-C 160 MF | 157 | - | - | 379 | 300 | 255 | 108 | 50 | 80 |



DP-RC

DP-C

Aerodynamic data



The brochure information is for reference only.

VENTS reserves the rights to modify any of its products' features, designs, components and specifications at any time and without notice to maintain the development and quality of manufactured goods.