# MV 103 Series



### Application

- Decoration of supply and exhaust vents of public, residential and industrial ventilation systems.
- Used for correct air flow distribution in premises.
- Wall or ceiling mounting.

### Design

- Made of quality and durable plastic.
- Multi-element structure. The internal part is fixed to the base with latches for easy cleaning without dismantling.
- Fixing with screws.

### Colour modifications



### Modifications

### Basic model: MV 103



- Wall or ceiling mounting grille.
- MV 103 s: model with a protective insect grille.



# Model with an air flow regulator (R): MV 103 R



- Equipped with a movable flap for air flow regulation.
- Cross-sectional regulation with a tilt wand or pull cords.
- MV 100 Rs: model with an air flow regulator and a protecting insect screen.



### Model with gravity louvre shutters (J): MV 103 J



- Exhaust grille for wall mounting.
- Equipped with gravity louvre shutters for back flow preventing.





# Model with a round flange (V): MV 103 V



- Fitted with a round connecting flange for mounting with Ø 100 mm air duct.
- Suitable for direct mounting with VENTS VKO 100 fan.
- MV 100 Vs: model with a round flange and a protecting insect screen.



# Model with a round flange and gravity louvre shutters (VJ): MV 103 VJ



- Exhaust grille for wall mounting.
- Equipped with gravity louvre shutters.
- Fitted with a round connecting flange for mounting with Ø 100 mm air duct.



### Model with a round flange and air flow regulator (VR): MV 103 VR



- Fitted with a round connecting flange for mounting with Ø 100 mm air duct.
- Equipped with a movable flap for air flow regulation.
- Cross-sectional regulation with a tilt wand or pull cords.
- Suitable for direct mounting with VENTS VKO 100 fan.
- MV 103 VRs: model with a round flange, an air flow regulator and a protecting insect screen.



### Overall dimensions

Model	Dimensions, [mm]							Cross-	
	В	Н	B1	H1	L	L1	D	sectional area, [m²]	Fig. no.
MV 103	156	151	110	95	18	-	-	0.0051	1, 2
MV 103 R	156	151	110	95	18	-	-	0.0048	1, 2
MV 103 V	156	151	110	95	18	35	100	0.0051	1, 3
MV 103 VR	156	151	110	95	18	35	100	0.0036	1, 3
MV 103 J	156	151	110	95	18	-	-	0.0093	1, 2
MV 103 VJ	156	151	110	95	18	53	100	0.0073	1,3



