


## 125 LD Light blue



Axial decorative fans with LED lighting for extract ventilation

- Maximum airflow: 167
- Sound pressure level LpA at 3 m: 34
- Motor type: AC
- Casing material: Polypropylene/Thermoplastic elastomer

|                                 | Unit of measurement | 125 LD Light blue |
|---------------------------------|---------------------|-------------------|
| Connected air duct size         | mm                  | 125               |
| Speed                           | -                   | 1                 |
| Minimum supply voltage          | V                   | 220               |
| Maximum supply voltage          | V                   | 240               |
| Power supply frequency          | Hz                  | 50                |
| Rated power                     | W                   | 16                |
| Unit current                    | A                   | 0.1               |
| Maximum airflow                 | m <sup>3</sup> /h   | 167               |
| Sound pressure level LpA at 3 m | dB(A)               | 34                |
| Weight                          | kg                  | 0.89              |
| Ambient air temperature min     | °C                  | 1                 |
| Ambient air temperature max     | °C                  | 40                |
| Ingress protection rating       | -                   | IP34              |




### Dimensions

| <b>Ø D</b> | <b>B</b> | <b>L</b> | <b>L1</b> |
|------------|----------|----------|-----------|
| 125        | 187      | 135      | 101       |



## Accessories

### Flanges

| Name                   | Photo   | Description  |
|------------------------|---|--|
| <a href="#">FO_125</a> |  | The window flange applicable for all VENTS fans except for VKO, VKO1, iFan, Quiet, MAO, CF |