

# 150 VKO1 press




Axial inline fans, for exhaust or supply ventilation

- Maximum airflow: 317
- Sound pressure level LpA at 3 m: 42
- Motor type: AC
- Casing material: Polypropylene/Thermoplastic elastomer


	<b>Unit of measurement</b>	<b>150 VKO1 press</b>
Connected air duct size	mm	150
Speed	-	1
Minimum supply voltage	V	220
Maximum supply voltage	V	240
Power supply frequency	Hz	50
Rated power	W	36
Unit current	A	0.16
Maximum airflow	m³/h	317
Sound pressure level LpA at 3 m	dB(A)	42
Weight	kg	0.8
Ambient air temperature min	°C	1
Ambient air temperature max	°C	40
Ingress protection rating	-	IPX4

## Dimensions

<b>ØD</b>	<b>Ød</b>	<b>L</b>	<b>L1</b>
150	59	100	28



## Ecodesign



Trademark	Vents		
Model	150 VKO1 press		
Specific energy consumption (SEC) (kWh/(m <sup>2</sup> /a))	Cold	Average	Warm
-31.3	B	-14.9	E
	-5.5	F	
Type of ventilation unit	Unidirectional		
Type of drive installed	Multi-speed		
Type of heat recovery system	None		
Maximum flow rate (m <sup>3</sup> /h)	317		
Electric power input (W)	36		
Reference flow rate (m <sup>3</sup> /s)	0.062		
Specific power input (SPI) (W/(m <sup>3</sup> /h))	0.073		
Control typology	Manual control		
Maximum external leakage rates (%)	2.7		
Declared typology	RVU UVU		
Sound power level (dB(A))	62		
The annual electricity consumption (AEC) (kWh/a)	Cold	Average	Warm
91	91	91	
The annual heating saved (AHS) (kWh/a)	Cold	Average	Warm
3355	1715	776	