

# Breezy Eco 160-E



## Single-room heat recovery ventilator

- Power of electrical reheater: 160
- Air flow in heat recovery mode: 48
- Sound pressure level LpA at 3 m: 40
- Sound pressure level LpA at 1 m: 50
- Filter: G3
- Motor type: EC
- Reheater: Electric
- Control: Smartphone
- Casing material: ABS Plastic
- Temperature sensor

	Unit of measurement	Breezy Eco 160-E		
Speed	-	3		
Phases	-	1		
Minimum supply voltage	V	220		
Maximum supply voltage	V	240		
Power supply frequency	Hz	50/60		
Rated power	W	3	5	8
Power of electrical reheater	W	160		
Unit current	A	0.93	0.94	0.95
Maximum airflow	m <sup>3</sup> /h			
Air flow in ventilation mode	m <sup>3</sup> /h	10	30	48
Air flow in heat recovery mode	m <sup>3</sup> /h	10	30	48
Sound pressure level LpA at 3 m	dB(A)	14	27	40
Sound pressure level LpA at 1 m	dB(A)	24	36	50
Heat recovery efficiency, max	%	90		
Heat exchanger material	-	Ceramic		
Filter	-	G3		
Transported air temperature (max)	°C	50		
Transported air temperature (min)	°C	-30		
Ambient air humidity max	%	70		
Ingress protection rating	-	IPX4		

## Dimensions

ØD	L	L1
162	540	439



