NK 160-1,7-1




Round electric inline heaters with round cross-section

- Casing material: Galvanized steel

	Unit of measurement	NK 160-1,7-1
Connected air duct size	mm	160
Phases	-	1
Minimum supply voltage	V	230
Maximum supply voltage	V	230
Power supply frequency	Hz	50
Rated power	W	1700
Weight	kg	2.1

Dimensions

ØD	B	H	L	L1	L2
159	120	267	306	226	40



Accessories

Outdoor temperature sensors

Name	Photo	Description
KDT2-M 100		Duct temperature sensors
KDT2-M 150		Duct temperature sensors
KDT2-M 200		Duct temperature sensors
KDT2-M 400		Duct temperature sensors
KDT2-M1 100		Duct temperature sensors
KDT2-M1 150		Duct temperature sensors
KDT2-M1 200		Duct temperature sensors
KDT2-M1 400		Duct temperature sensors
KDT2-MK 100		Duct temperature sensors with a terminal box
KDT2-MK 150		Duct temperature sensors with a terminal box

KDT2-MK 200		Duct temperature sensors with a terminal box
KDT2-MK 400		Duct temperature sensors with a terminal box

Electric triac temperature controllers

Name	Photo	Description
PULSER-M		Electric triac temperature controllers for single and two-phase electric heaters