


# OVP 4E 250




Low pressure axial fan in steel casing for round duct installation

- Maximum airflow: 800
- Sound pressure level LpA at 3 m: 55
- Motor type: AC
- Impeller type: Axial
- Casing material: Polypropylene/Thermoplastic elastomer
- Installation in any position

|  | Unit of measurement | OVP 4E 250 |
|--|---------------------|------------|
| Connected air duct size                | mm                  | 250        |
| Speed                                  | -                   | 1          |
| Minimum supply voltage                 | V                   | 220        |
| Maximum supply voltage                 | V                   | 240        |
| Power supply frequency                 | Hz                  | 50/60      |
| Rated power                            | W                   | 50         |
| Unit current                           | A                   | 0.22       |
| Maximum airflow                        | m <sup>3</sup> /h   | 800        |
| Sound pressure level LpA at 3 m        | dB(A)               | 55         |
| Weight                                 | kg                  | 4.5        |
| Transported air temperature (max)      | °C                  | 60         |
| Transported air temperature (min)      | °C                  | -30        |
| Ingress protection rating              | -                   | IPX4       |
| Ingress protection rating of the drive | -                   | IP44       |





### Dimensions

| ØD  | B   | L   | H   | L1 |
|-----|-----|-----|-----|----|
| 249 | 282 | 250 | 320 | 30 |

