


PA 01 E LCD



Suspended air supply units in the sound- and heat-insulated casing with the water or electric heater


- Power of electrical reheater: 12000
- Maximum airflow: 1275
- Sound pressure level LpA at 3 m: 51
- Filter: G4
- Sound insulation
- Motor type: AC
- Reheater: Electric
- Control: Remote Control
- Casing material: Galvanized steel

| | Unit of measurement | PA 01 E LCD |
|--|---------------------|-------------|
| Connected air duct size | mm | 400x200 |
| Speed | - | 1 |
| Minimum supply voltage | V | 400 |
| Maximum supply voltage | V | 400 |
| Power supply frequency | Hz | 50 |
| Rated power | W | 320 |
| Power of electrical reheater | W | 12000 |
| Unit current | A | 18 |
| Maximum airflow | m ³ /h | 1275 |
| Sound pressure level LpA at 3 m | dB(A) | 51 |
| Weight | kg | 56 |
| Filter | - | G4 |
| Transported air temperature (max) | °C | 55 |
| Transported air temperature (min) | °C | -25 |
| Ambient air temperature min | °C | -25 |
| Ambient air temperature max | °C | 55 |
| Ambient air humidity max | % | 80 |
| Ingress protection rating | - | IP22 |
| Ingress protection rating of the drive | - | IP44 |



Dimensions

| B | B1 | B2 | B3 | H | H1 | H2 | L | L1 |
|-----|-----|-----|-----|-----|-----|-----|------|------|
| 400 | 420 | 624 | 582 | 200 | 220 | 374 | 1145 | 1106 |



Accessories

For rectangular ducts

| Name | Photo | Description |
|----------------------------|---|--|
| SR 400x200 |  | Plate silencer for installation in rectangular ducts |


Water coolers

| Name | Photo | Description |
|-------------------------------|---|----------------------------------|
| OKW 400x200-3 |  | Rectangular inline water coolers |


Airflow regulators

| Name | Photo | Description |
|-----------------------------|---|----------------------|
| RRV 400x200 |  | Air flow controllers |


For rectangular ducts

| Name | Photo | Description |
|-----------------------------|---|---|
| VVG 400x200 |  | Flexible anti-vibration inserts for round air ducts |

Mixing chambers

| Name | Photo | Description |
|---------------------------------|---|---|
| SKRA 400x200/24 |  | Mixing chambers for mixing (recirculating) part of the exhaust air with the outdoor air in the appropriate proportion |

Freon coolers

| Name | Photo | Description |
|-------------------------------|---|---|
| OKF 400x200-3 |  | Rectangular inline direct evaporative coolers |

Other accessories

| Name | Photo | Description |
|------|-------|-------------|
|------|-------|-------------|

SF 475x270x48 G4



Panel filter G4