


PA 04 W3 LCD



Suspended air supply units in the sound- and heat-insulated casing with the water or electric heater


- Maximum airflow: 4100
- Sound pressure level LpA at 3 m: 75
- Filter: G4 (F7 option)
- Sound insulation
- Motor type: AC
- Reheater: Water
- Control: Remote Control
- Casing material: Galvanized steel

	Unit of measurement	PA 04 W3 LCD
Connected air duct size	mm	700x400
Speed	-	1
Minimum supply voltage	V	400
Maximum supply voltage	V	400
Power supply frequency	Hz	50
Rated power	W	2300
Unit current	A	4.3
Maximum airflow	m ³ /h	4100
Sound pressure level LpA at 3 m	dB(A)	75
Weight	kg	110
Filter	-	G4 (F7 option)
Transported air temperature (max)	°C	70
Transported air temperature (min)	°C	-25
Ambient air temperature min	°C	-25
Ambient air temperature max	°C	70
Ambient air humidity max	%	80
Ingress protection rating	-	IP22
Ingress protection rating of the drive	-	IP44



Dimensions

B	B1	B2	B3	H	H1	H2	L	L1
700	720	888	844	400	420	546	1302	1262





Accessories

For rectangular ducts

Name	Photo	Description
SR 700x400		Plate silencer for installation in rectangular ducts

Mixing chambers


Name	Photo	Description
------	-------	-------------

USWK 3/4-4		The mixing unit USWK is designed for smooth heat medium flow control in ventilation systems equipped with water heaters or coolers for supply air temperature regulation
USWK 3/4-6		The mixing unit USWK is designed for smooth heat medium flow control in ventilation systems equipped with water heaters or coolers for supply air temperature regulation


Airflow regulators

Name	Photo	Description
RRV 700x400		Air flow controllers

Mixing chambers

Name	Photo	Description
SKRA 700x400/24		Mixing chambers for mixing (recirculating) part of the exhaust air with the outdoor air in the appropriate proportion


For rectangular ducts

Name	Photo	Description
VVG 700x400		Flexible anti-vibration inserts for round air ducts


Water coolers

Name	Photo	Description
OKW 700x400-3		Rectangular inline water coolers

Freon coolers

Name	Photo	Description
OKF 700x400-3		Rectangular inline direct evaporative coolers

Other accessories

Name	Photo	Description
SFK 737x441x27 G4		G4 pocket filter

SFK 737x441x27 F7



F7 pocket filter