


# SO 125 L



Axial decorative fans for exhaust ventilation


- Maximum airflow: 174
- Sound pressure level LpA at 3 m: 35
- Motor type: AC
- Casing material: Polypropylene/Thermoplastic elastomer
- Backdraft protection: Backdraft damper

	Unit of measurement	SO 125 L
Connected air duct size	mm	125
Speed	-	1
Minimum supply voltage	V	220
Maximum supply voltage	V	240
Power supply frequency	Hz	50/60
Rated power	W	17.5
Unit current	A	0.117
Maximum airflow	m <sup>3</sup> /h	174
Sound pressure level LpA at 3 m	dB(A)	35
Weight	kg	0.74
Ambient air temperature min	°C	1
Ambient air temperature max	°C	45
Ingress protection rating	-	IP24



## Dimensions

ØD	B	L	L1
125	177	122	34



## Accessories

### Speed controllers

Name	Photo	Description
<a href="#">RS-1-300</a>		Speed controller

### Flat duct

Name	Photo	Description
------	-------	-------------

<a href="#">2121</a>		Connection of same diameter air ducts
----------------------	---	---------------------------------------

### Flanges

Name	Photo	Description
<a href="#">FO_125</a>		The window flange applicable for all VENTS fans except for VKO, VKO1, iFan, Quiet, MAO, CF