



VK 315 Duo R1V



Inline centrifugal fans in plastic casing

- Maximum airflow: 1268
- Sound pressure level LpA at 3 m: 48
- Motor type: AC
- Control: Built-in speed controller
- Impeller type: Centrifugal impeller with backward curved blades
- Casing material: Plastic
- Installation in any position
- Cable with mains plug

| | Unit of measurement | VK 315 Duo R1V | |
|-----------------------------------|---------------------|----------------|------|
| Connected air duct size | mm | 315 | |
| Speed | - | 2 | |
| Phases | - | 1 | |
| Minimum supply voltage | V | 230 | |
| Maximum supply voltage | V | 230 | |
| Power supply frequency | Hz | 50 | |
| Rated power | W | 143 | 173 |
| Unit current | A | 0.68 | 0.76 |
| Maximum airflow | m ³ /h | 758 | 1268 |
| Sound pressure level LpA at 3 m | dB(A) | 37 | 48 |
| Weight | kg | 4.85 | |
| Transported air temperature (max) | °C | 55 | |
| Transported air temperature (min) | °C | -25 | |
| Ingress protection rating | - | IPX4 | |



Dimensions

| ØD | ØD1 | B | L | L1 | L2 | L3 |
|-----|-----|-----|-----|----|----|----|
| 315 | 400 | 414 | 276 | 40 | 55 | 40 |

