

# VKHz 450 EC




Roof exhaust centrifugal fans with horizontal air exhaust

- Maximum airflow: 8110
- Sound pressure level LpA at 3 m: 63
- Motor type: EC
- Impeller type: Centrifugal backward curved blades
- Casing material: Galvanized steel


	Unit of measurement	VKHz 450 EC
Speed	-	1
Minimum supply voltage	V	400
Maximum supply voltage	V	400
Power supply frequency	Hz	50/60
Rated power	W	1323
Unit current	A	3.27
Maximum airflow	m <sup>3</sup> /h	8110
Sound pressure level LpA at 3 m	dB(A)	63
Weight	kg	46
Transported air temperature (max)	°C	60
Transported air temperature (min)	°C	-20
Ingress protection rating	-	IPX4
Ingress protection rating of the drive	-	IP54





### Dimensions

∅D	∅d	H	L	L1	L2
438	11	420	710	535	700



## Ecodesign

Trademark	Vents
Model	VKHz 450 EC
Type of drive installed	Integrated VSD
Type of heat recovery system	None
Nominal flow rate (m <sup>3</sup> /s)	1.341
Nominal external pressure (Pa)	597
Maximum external leakage rates (%)	2.7
Static efficiency (%)	66.7
Declared typology	NRVU UVU
Sound power level (dB(A))	83
Effective electric power input (kW)	1.323