


VKHz 6D 630




Centrifugal roof fans with horizontal air exhaust

- Maximum airflow: 12640
- Sound pressure level LpA at 3 m: 64
- Motor type: AC
- Impeller type: Centrifugal backward curved blades
- Casing material: Galvanized steel

	Unit of measurement	VKHz 6D 630
Speed	-	1
Minimum supply voltage	V	400
Maximum supply voltage	V	400
Power supply frequency	Hz	50
Rated power	W	1110
Unit current	A	2.42
Maximum airflow	m ³ /h	12640
Sound pressure level LpA at 3 m	dB(A)	64
Weight	kg	96.3
Transported air temperature (max)	°C	50
Transported air temperature (min)	°C	-25
Ingress protection rating	-	IPX4
Ingress protection rating of the drive	-	IP54





Dimensions

H	H1	A	B	C	Ød	ØD
520	560	1000	990	750	20	605



Ecodesign

Trademark	Vents
Model	VKHz 6D 630
Type of drive installed	External MSD or VSD
Type of heat recovery system	None
Nominal flow rate (m ³ /s)	2.482
Nominal external pressure (Pa)	258
Maximum external leakage rates (%)	2.7
Static efficiency (%)	61.1
Declared typology	NRVU UVU
Effective electric power input (kW)	1.069
Sound power level (dB(A))	84