


VKHz 6D 710




Centrifugal roof fans with horizontal air exhaust

- Maximum airflow: 17010
- Sound pressure level LpA at 3 m: 67
- Motor type: AC
- Impeller type: Centrifugal backward curved blades
- Casing material: Galvanized steel

	Unit of measurement	VKHz 6D 710
Speed	-	1
Minimum supply voltage	V	400
Maximum supply voltage	V	400
Power supply frequency	Hz	50
Rated power	W	2583
Unit current	A	4.87
Maximum airflow	m ³ /h	17010
Sound pressure level LpA at 3 m	dB(A)	67
Weight	kg	134
Transported air temperature (max)	°C	70
Transported air temperature (min)	°C	-25
Ingress protection rating	-	IPX4
Ingress protection rating of the drive	-	IP54





Dimensions

H	H1	A	B	C	Ød	ØD
570	619	1060	1050	840	20	674



Ecodesign

Trademark	Vents
Model	VKHz 6D 710
Type of drive installed	External MSD or VSD
Type of heat recovery system	None
Nominal flow rate (m ³ /s)	2.833
Nominal external pressure (Pa)	431
Maximum external leakage rates (%)	2.7
Static efficiency (%)	48.2
Declared typology	NRVU UVU
Sound power level (dB(A))	87
Effective electric power input (kW)	2.583