



# VKP 150/125\*2



Centrifugal fans in the steel casing for round ducts

- Maximum airflow: 553
- Sound pressure level LpA at 3 m: 50
- Motor type: AC
- Impeller type: Centrifugal backward curved blades
- Casing material: Coated steel
- Installation in any position

|  | Unit of measurement | VKP 150/125*2 |
|--|---------------------|---------------|
| Connected air duct size                | mm                  | 125/150       |
| Minimum supply voltage                 | V                   | 220           |
| Maximum supply voltage                 | V                   | 240           |
| Power supply frequency                 | Hz                  | 50/60         |
| Rated power                            | W                   | 85            |
| Unit current                           | A                   | 0.38          |
| Maximum airflow                        | m <sup>3</sup> /h   | 553           |
| Sound pressure level LpA at 3 m        | dB(A)               | 50            |
| Weight                                 | kg                  | 6.33          |
| Transported air temperature (max)      | °C                  | 40            |
| Transported air temperature (min)      | °C                  | -25           |
| Ingress protection rating              | -                   | IPX4          |
| Ingress protection rating of the drive | -                   | IP44          |



## Dimensions

| ØD  | ØD1 | B   | H   | L   | L2  |
|-----|-----|-----|-----|-----|-----|
| 149 | 124 | 300 | 170 | 480 | 382 |

