



VKP 600x300 L1 EC



Centrifugal fans for rectangular ducts


- Maximum airflow: 3060
- Sound pressure level LpA at 3 m: 50
- Motor type: EC
- Impeller type: Centrifugal backward curved blades
- Casing material: Galvanized steel
- Installation in any position

	Unit of measurement	VKP 600x300 L1 EC
Connected air duct size	mm	600x300
Speed	-	1
Minimum supply voltage	V	230
Maximum supply voltage	V	230
Power supply frequency	Hz	50/60
Rated power	W	425
Unit current	A	2.76
Maximum airflow	m ³ /h	3060
Sound pressure level LpA at 3 m	dB(A)	50
Weight	kg	26.5
Transported air temperature (max)	°C	50
Transported air temperature (min)	°C	-25
Ingress protection rating	-	IPX4
Ingress protection rating of the drive	-	IP54



Dimensions

B	B1	B2	H	H1	H2	H3	L
600	620	640	300	320	340	370	680



Ecodesign

Trademark	Vents
Model	VKP 600x300 L1 EC
Type of drive installed	Integrated VSD
Type of heat recovery system	None
Nominal flow rate (m ³ /s)	0.44
Nominal external pressure (Pa)	507
Maximum external leakage rates (%)	2.7
Static efficiency (%)	54.7
Declared typology	NRVU UVU
Sound power level (dB(A))	72
Effective electric power input (kW)	0.416