



VKPI 300x150 M1 EC

Centrifugal fans for rectangular ducts




- Maximum airflow: 565
- Sound pressure level LpA at 3 m: 29
- Sound insulation
- Motor type: EC
- Impeller type: Centrifugal backward curved blades
- Casing material: Galvanized steel
- Installation in any position

| | Unit of measurement | VKPI 300x150 M1 EC |
|----------------------------------------|---------------------|--------------------|
| Connected air duct size | mm | 300x150 |
| Speed | - | 1 |
| Minimum supply voltage | V | 230 |
| Maximum supply voltage | V | 230 |
| Power supply frequency | Hz | 50/60 |
| Rated power | W | 97 |
| Unit current | A | 0.73 |
| Maximum airflow | m ³ /h | 565 |
| Sound pressure level LpA at 3 m | dB(A) | 29 |
| Weight | kg | 10.3 |
| Transported air temperature (max) | °C | 50 |
| Transported air temperature (min) | °C | -25 |
| Ingress protection rating | - | IPX4 |
| Ingress protection rating of the drive | - | IP55 |




Dimensions

| B | B1 | B3 | H | H1 | H3 | L |
|----------|-----------|-----------|----------|-----------|-----------|----------|
| 300 | 320 | 364 | 150 | 170 | 271 | 370 |



Ecodesign



| | | | | | | |
|-------------------------------------------------------------|----------------------|----|---------|---|-------|---|
| Trademark | Vents | | | | | |
| Model | VKPI 300x150 M1 EC | | | | | |
| Specific energy consumption (SEC) (kWh/(m ² /a)) | Cold | | Average | | Warm | |
| | -54.3 | A+ | -27.2 | B | -11.7 | E |
| Type of ventilation unit | Unidirectional | | | | | |
| Type of drive installed | Variable speed | | | | | |
| Type of heat recovery system | None | | | | | |
| Maximum flow rate (m ³ /h) | 510 | | | | | |
| Electric power input (W) | 90 | | | | | |
| Reference flow rate (m ³ /s) | 0.099 | | | | | |
| Reference pressure difference (Pa) | 50 | | | | | |
| Specific power input (SPI) (W/(m ³ /h)) | 0.082 | | | | | |
| Control typology | Local demand control | | | | | |
| Maximum external leakage rates (%) | 2.7 | | | | | |
| Declared typology | RVU UVU | | | | | |
| Sound power level (dB(A)) | 48 | | | | | |
| The annual electricity consumption (AEC) (kWh/a) | Cold | | Average | | Warm | |
| | 43 | | 43 | | 43 | |
| The annual heating saved (AHS) (kWh/a) | Cold | | Average | | Warm | |
| | 5536 | | 2830 | | 1280 | |