

VOK 2E 250



Axial roof fans in the steel casing with the horizontal exhaust of air

- Maximum airflow: 1050
- Sound pressure level LpA at 3 m: 60
- Motor type: AC
- Impeller type: Axial
- Casing material: Coated steel

	Unit of measurement	VOK 2E 250
Connected air duct size	mm	250
Speed	-	1
Minimum supply voltage	V	220
Maximum supply voltage	V	240
Power supply frequency	Hz	50/60
Rated power	W	80
Unit current	A	0.4
Maximum airflow	m ³ /h	1050
Sound pressure level LpA at 3 m	dB(A)	60
Weight	kg	7
Transported air temperature (max)	°C	60
Transported air temperature (min)	°C	-30
Ingress protection rating	-	IP24
Ingress protection rating of the drive	-	IP44
Unit category	-	NRVU
Type of drive installed	-	External MSD or VSD
Type of heat recovery system	-	None
Nominal flow rate	m ³ /s	0.154
Nominal external pressure	Pa	88
Maximum external leakage rates	%	2.7
Static efficiency	%	14.1

Declared typology	-	NRVU UVU
Sound power level	dB(A)	80
Effective electric power input	kW	0.098

Dimensions

$\varnothing D$	$\varnothing D1$	H	L	L1
262	405	280	425	330

