





















Series D






























Axial fans for exhaust ventilation








- Motor type: AC
- Casing material: Plastic
- Timer: Turn off timer
- Humidity sensor

Lineup	Connected air duct size, mm	Maximum airflow, m ³ /h	Sound pressure level LpA at 3 m, dB(A)	Pull cord	Humidity sensor	Timer	Electric power input, W
 100 D	100	95	34	×	×	×	14
 100 D turbo	100	124	37	×	×	×	16
 100 D 12	100	86	33	×	×	×	14
 100 D L	100	95	34	×	×	×	0
 100 D K	100	95	34	×	×	×	0
 100 D K L	100	95	34	×	×	×	0

	100 D K L turbo	100	124	37	✗	✗	✗	0
	100 D K 12	100	86	33	✗	✗	✗	0
	100 D T	100	95	34	✗	✗	✓	14
	100 D T turbo	100	124	37	✗	✗	✗	16
	100 D T L	100	95	34	✗	✗	✓	0
	100 D T K	100	95	34	✗	✗	✓	0
	100 D T K L	100	95	34	✗	✗	✓	14
	100 D TH	100	95	34	✗	✓	✓	14
	100 D TH turbo	100	124	37	✗	✓	✓	16
	100 D TH L	100	95	34	✗	✓	✓	0
	100 D TH K	100	95	34	✗	✓	✓	0
	100 D TH K turbo	100	124	37	✗	✓	✓	0
	100 D TH K L	100	95	34	✗	✓	✓	0
	100 D V	100	95	34	✓	✗	✗	14

 100 D V turbo	100	124	37	✓	✗	✗	16
 100 D V L	100	95	34	✓	✗	✗	0
 100 D V K	100	95	34	✓	✗	✗	0
 100 D VTH	100	95	34	✓	✓	✓	14
 120 D	120	174	36	✗	✗	✗	17
 120 D V	120	174	36	✓	✗	✗	17
 125 D	125	180	35	✓	✓	✓	16
 125 D turbo	125	226	37	✗	✗	✗	24
 125 D 12	125	165	34	✗	✗	✗	16
 125 D L	125	180	35	✓	✓	✓	
 125 D K	125	180	35	✓	✓	✓	
 125 D K L	125	180	35	✓	✓	✓	
 125 D K turbo	125	226	37	✗	✗	✗	
 125 D T	125	180	35	✓	✓	✓	16

 125 D T L	125	180	35	✓	✓	✓	
 125 D T K	125	180	35	✓	✓	✓	
 125 D TH	125	180	35	✓	✓	✓	16
 125 D TH L	125	180	35	✓	✓	✓	
 125 D TH K	125	180	35	✓	✓	✓	
 125 D V	125	180	35	✓	✓	✓	16
 125 D VTH	125	180	35	✓	✓	✓	16
 150 D	150	292	38	✗	✓	✓	24
 150 D turbo	150	341	40	✗	✗	✗	30
 150 D 12	150	260	37	✗	✗	✗	24
 150 D L	150	292	38	✗	✓	✓	
 150 D L turbo	150	341	40	✗	✗	✗	
 150 D K	150	292	38	✗	✓	✓	
 150 D K L	150	292	38	✗	✓	✓	

 150 D T	150	292	38	✗	✓	✓	24
 150 D T L	150	292	38	✗	✓	✓	
 150 D T L turbo	150	341	40	✗	✗	✓	
 150 D T K	150	292	38	✗	✓	✓	
 150 D T H	150	292	38	✗	✓	✓	24
 150 D T H K	150	292	38	✗	✓	✓	
 150 D T H K L	150	292	38	✗	✓	✓	
 150 D V	150	292	38	✓	✓	✓	24
 150 D V K	150	292	38	✓	✓	✓	
 150 D V T	150	292	38	✓	✓	✓	24