









Series **Enave P**



Heat recovery air handling unit in sound- and heat-insulated casing made of expanded polypropylene

- Heat exchanger type: Counter flow
- Sound insulation
- Motor type: EC
- Bypass: Manual
- Reheater: Optional
- Preheater: Optional
- BMS protocol: ModBus
- Control: Wired control panel
- Casing material: EPP
- Humidity sensor: Optional
- Enthalpy heat exchanger

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m ³ /h	Control system	Reheater	Preheater	BMS protocol
 Enave 180 P A21	160	54	191	A21	Optional	Optional	ModBus
 Enave-T 180 P A21	160	54	191	A21	Optional	Optional	ModBus
 Enave 181 P A21	160	54	191	A21	Optional	Optional	ModBus
 Enave-T 181 P A21	160	54	191	A21	Optional	Optional	ModBus
 Enave 240 P A21	160	168	313	A21	Optional	Optional	ModBus
 Enave-T 240 P A21	160	168	313	A21	Optional	Optional	ModBus
 Enave 241 P A21	160	168	313	A21	Optional	Optional	ModBus

 Enave-T 241 P A21	160	168	313	A21	Optional	Optional	ModBus
 Enave 180 P A14	160	54	191	A14			
 Enave-T 180 P A14	160	54	191	A14			
 Enave 181 P A14	160	54	191	A14			
 Enave-T 181 P A14	160	54	191	A14			
 Enave 240 P A14	160	168	313	A14			
 Enave-T 240 P A14	160	168	313	A14			
 Enave 241 P A14	160	168	313	A14			
 Enave-T 241 P A14	160	168	313	A14			