





















Series M
























High-performance axial extract fans

- Motor type: AC
- Casing material: Plastic
- Motion sensor
- Humidity sensor
- Timer: Turn off timer

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m ³ /h	Sound pressure level LpA at 3 m, dB(A)	Motion sensor	Pull cord	Humidity sensor	Timer
 100 M	100	14	102	38	✓	✓	✓	✗
 100 M press	100	16	99	37	✗	✗	✗	✗
 100 M turbo	100	16	128	37	✗	✗	✗	✗
 100 M 12	100	14	86	33	✗	✗	✗	✗
 100 M K	100	14	102	38	✓	✓	✓	✗
 100 M K turbo	100	16	128	37	✗	✗	✗	✗

	100 M L	100	14	102	38	✓	✓	✓	✗
	100 M T L	100	14	102	38	✓	✓	✓	✗
	100 M T	100	14	102	38	✓	✓	✓	✗
	100 M T L press	100	16	99	37	✗	✗	✗	✓
	100 M T L turbo	100	16	128	37	✗	✗	✗	✓
	100 M TH	100	14	102	38	✓	✓	✓	✗
	100 M TH L	100	14	102	38	✓	✓	✓	✗
	100 M TH L press	100	16	99	37	✗	✗	✓	✓
	100 M TH L turbo	100	16	128	37	✗	✗	✓	✓
	100 M TP	100	14	102	38	✓	✓	✓	✗
	100 M V	100	14	102	38	✓	✓	✓	✗
	125 M	125	16	193	39	✗	✓	✓	✓
	125 M turbo	125	22	232	37	✗	✗	✗	✗
	125 M press	125	22	188	39	✗	✗	✗	✗

	125 M 12	125	16	165	34	×	×	×	×
	125 M L	125	16	193	39	×	✓	✓	✓
	125 M L turbo	125	22	232	37	×	×	×	×
	125 M L press	125	22	188	39	×	×	×	×
	125 M K	125	16	193	39	×	✓	✓	✓
	125 M K turbo	125	22	232	37	×	×	×	×
	125 M T	125	16	193	39	×	✓	✓	✓
	125 M T L	125	16	193	39	×	✓	✓	✓
	125 M TH	125	16	193	39	×	✓	✓	✓
	125 M TP	125	16	193	39		✓	✓	✓
	125 M V	125	16	193	39	×	✓	✓	✓
	150 M	150	24	295	39	×	×	×	×
	150 M 12	150	29	263	38	×	×	×	×
	150 M L	150	24	295	39	×	×	×	×

 150 M T	150	24	295	39	×	×	×	✓
 150 M turbo	150	29	345	41	×	×	×	×
 150 M press	150	29	307	41	×	×	×	×
 150 M L press	150	29	307	41	×	×	×	×
 150 M L turbo	150	29	345	41	×	×	×	×
 150 M K turbo	150	29	345	41	×	×	×	×
 150 M V	150	24	295	39	×	✓	×	×