





















Series **Quiet**










Axial exhaust fans Quiet feature low noise and high performance

- Motor type: AC
- Casing material: Plastic
- Timer: Turn off timer
- Humidity sensor
- Motion sensor

Lineup	Connected air duct size, mm	Maximum airflow, m ³ /h	Sound pressure level LpA at 3 m, dB(A)	Motion sensor	Pull cord	Humidity sensor	Electric power input, W	Timer
 Quiet 100	100	97	25	✗	✗	✗	7.5	
 Quiet 100 V	100	97	25	✗	✓	✗	7.5	
 Quiet 100 T	100	97	25	✗	✗	✗	7.5	✓
 Quiet 100 VT	100	97	25	✗	✓	✗	7.5	✓
 Quiet 100 T1	100	97	25	✗	✗	✗	7.5	✓
 Quiet 100 TH	100	97	25	✗	✗	✓	7.5	✓

	Quiet 100 TP	100	97	25	✓	✗	✗	7.5	✓
	Quiet 100 12	100	97	25	✗	✗	✗		
	Quiet 100 Duo	100	90	25	✗	✗	✗	7	
	Quiet 100 Duo T	100	90	25	✗	✗	✗	7	✓
	Quiet 100 Duo TH	100	90	25	✗	✗	✓	7	✓
	Quiet 100 VTH	100	97	25	✗	✓	✓	7.5	✓
	Quiet 125	125	185	32	✗	✗	✗	17	
	Quiet 125 V	125	185	32	✗	✓	✗	17	
	Quiet 125 T	125	185	32	✗	✗	✗	17	✓
	Quiet 125 VT	125	185	32	✗	✓	✗	17	✓
	Quiet 125 TH	125	185	32	✗	✗	✓	17	✓
	Quiet 125 TP	125	185	32	✓	✗	✗	17	✓
	Quiet 125 VTH	125	185	32	✗	✓	✓	17	✓
	Quiet 125 Duo	125	170	32	✗	✗	✗	13.5	

 Quiet 150	150	315	33	×	×	×	19	
 Quiet 150 V	150	315	33	×	✓	×	19	
 Quiet 150 T	150	315	33	×	×	×	19	✓
 Quiet 150 VT	150	315	33	×	✓	×	19	✓
 Quiet 150 TH	150	315	33	×	×	✓	19	✓
 Quiet 150 TP	150	315	33	✓	×	×	19	✓
 Quiet 150 VTH	150	315	33	×	✓	✓	19	✓