

## Series **Silenta-S**



Quiet axial extract fans with thin front panels

- Motor type: AC
- Impeller type: Axial
- Casing material: Plastic
- Timer: Turn off timer
- Humidity sensor

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m <sup>3</sup> /h	Sound pressure level LpA at 3 m, dB(A)	Timer	Humidity sensor	Pull cord
 100 Silenta-S	100	7	78	26			
 100 Silenta-S L	100	7	78	26			
 100 Silenta-S K	100	7	78	26			
 100 Silenta-ST	100	7	78	26	✓		
 100 Silenta-STH	100	7	78	26	✓	✓	
 100 Silenta-SV	100	7	78	26			✓

	100 Silenta-SVT	100	7	78	26	✓		✓
	100 Silenta-SVTH	100	7	78	26	✓	✓	✓
	125 Silenta-S	125	9.3	148	31			
	125 Silenta-S K	125	9.3	148	31			
	125 Silenta-S L	125	9.3	148	31			
	125 Silenta-ST	125	9.3	148	31	✓		
	125 Silenta-STH	125	9.3	148	31	✓	✓	
	125 Silenta-SV	125	9.3	148	31			✓
	125 Silenta-SVT	125	9.3	148	31	✓		✓
	125 Silenta-SVTH	125	9.3	148	31	✓	✓	✓
	150 Silenta-S	150	20	240	33			
	150 Silenta-S K	150	20	240	33			
	150 Silenta-S L	150	20	240	33			
	150 Silenta-ST	150	20	240	33	✓		

	150 Silenta-STH	150	20	240	33	✓	✓	
	150 Silenta-SV	150	20	240	33			✓
	150 Silenta-SVT	150	20	240	33	✓		✓
	150 Silenta-SVTH	150	20	240	33	✓	✓	✓
	150 Silenta-S (220 V/60 Hz)	150						
	150 Silenta-S K (220 V/60 Hz)	150						
	150 Silenta-S L (220 V/60 Hz)	150						
	150 Silenta-ST (220 V/60 Hz)	150				✓		
	150 Silenta-STH (220 V/60 Hz)	150				✓	✓	
	150 Silenta-SV (220 V/60 Hz)	150						✓
	150 Silenta-SVT (220 V/60 Hz)	150				✓		✓
	150 Silenta-SVTH (220 V/60 Hz)	150				✓	✓	✓