




































Series **VC**















Inline centrifugal inline fans

- Motor type: AC
- Impeller type: Centrifugal backward curved blades
- Casing material: Polypropylene/Thermoplastic elastomer

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m ³ /h
 VC-VN 100	100	73	270
 VC-VN 100 Q	100	60	210
 VC-VN 125	125	75	355
 VC-VN 125 Q	125	60	255
 VC-VN 150	150	98	555
 VC-VN 160	160	98	555
 VC-VN 200	200	154	950

	VC-VN 250	250	194	1310
	VC-VN 250 Q	250	158	1190
	VC-VN 315	315	171	1400
	VCS-VN 200	200	193	1100
	VCS-VN 315	315	296	1880
	VC-VK 100	100	73	270
	VC-VK 100 Q	100	60	210
	VC-VK 125	125	75	355
	VC-VK 125 Q	125	60	255
	VC-VK 150	150	98	555
	VC-VK 160	160	98	555
	VC-VK 200	200	154	950
	VC-VK 250	250	194	1310
	VC-VK 250 Q	250	158	1190

	VC-VK 315	315	171	1400
	VCS-VK 200	200	193	1100
	VCS-VK 315	315	296	1880
	VC-PN 100	100	73	270
	VC-PN 100 Q	100	60	210
	VC-PN 125	125	75	355
	VC-PN 125 Q	125	60	255
	VC-PN 150	150	98	555
	VC-PN 160	160	98	555
	VC-PN 200	200	154	950
	VC-PN 250	250	194	1310
	VC-PN 250 Q	250	158	1190
	VC-PN 315	315	171	1400
	VCS-PN 200	200	193	1100

	VCS-PN 315	315	296	1880
	VC-PK 100	100	73	270
	VC-PK 100 Q	100	60	210
	VC-PK 125	125	75	355
	VC-PK 125 Q	125	60	255
	VC-PK 150	150	98	555
	VC-PK 160	160	98	555
	VC-PK 200	200	154	950
	VC-PK 250	250	194	1310
	VC-PK 250 Q	250	158	1190
	VC-PK 315	315	171	1400
	VCS-PK 200	200	193	1100
	VCS-PK 315	315	296	1880