






















Series VC






























Inline centrifugal inline fans

- Motor type: AC
- Impeller type: Centrifugal backward curved blades
- Casing material: Coated steel

| Lineup | Connected air duct size, mm | Rated power, W | Maximum airflow, m ³ /h |
|---|-----------------------------|----------------|------------------------------------|
|  VC-VN 100 | 100 | 73 | 270 |
|  VC-VN 100 Q | 100 | 60 | 210 |
|  VC-VN 125 | 125 | 75 | 355 |
|  VC-VN 125 Q | 125 | 60 | 255 |
|  VC-VN 150 | 150 | 98 | 555 |
|  VC-VN 160 | 160 | 98 | 555 |
|  VC-VN 200 | 200 | 154 | 950 |

| | | | | |
|---|-------------|-----|-----|------|
|  | VC-VN 250 | 250 | 194 | 1310 |
|  | VC-VN 250 Q | 250 | 158 | 1190 |
|  | VC-VN 315 | 315 | 171 | 1400 |
|  | VCS-VN 200 | 200 | 193 | 1100 |
|  | VCS-VN 315 | 315 | 296 | 1880 |
|  | VC-VK 100 | 100 | 73 | 270 |
|  | VC-VK 100 Q | 100 | 60 | 210 |
|  | VC-VK 125 | 125 | 75 | 355 |
|  | VC-VK 125 Q | 125 | 60 | 255 |
|  | VC-VK 150 | 150 | 98 | 555 |
|  | VC-VK 160 | 160 | 98 | 555 |
|  | VC-VK 200 | 200 | 154 | 950 |
|  | VC-VK 250 | 250 | 194 | 1310 |
|  | VC-VK 250 Q | 250 | 158 | 1190 |

| | | | | |
|---|-------------|-----|-----|------|
|  | VC-VK 315 | 315 | 171 | 1400 |
|  | VCS-VK 200 | 200 | 193 | 1100 |
|  | VCS-VK 315 | 315 | 296 | 1880 |
|  | VC-PN 100 | 100 | 73 | 270 |
|  | VC-PN 100 Q | 100 | 60 | 210 |
|  | VC-PN 125 | 125 | 75 | 355 |
|  | VC-PN 125 Q | 125 | 60 | 255 |
|  | VC-PN 150 | 150 | 98 | 555 |
|  | VC-PN 160 | 160 | 98 | 555 |
|  | VC-PN 200 | 200 | 154 | 950 |
|  | VC-PN 250 | 250 | 194 | 1310 |
|  | VC-PN 250 Q | 250 | 158 | 1190 |
|  | VC-PN 315 | 315 | 171 | 1400 |
|  | VCS-PN 200 | 200 | 193 | 1100 |

| | | | | |
|---|-------------|-----|-----|------|
|  | VCS-PN 315 | 315 | 296 | 1880 |
|  | VC-PK 100 | 100 | 73 | 270 |
|  | VC-PK 100 Q | 100 | 60 | 210 |
|  | VC-PK 125 | 125 | 75 | 355 |
|  | VC-PK 125 Q | 125 | 60 | 255 |
|  | VC-PK 150 | 150 | 98 | 555 |
|  | VC-PK 160 | 160 | 98 | 555 |
|  | VC-PK 200 | 200 | 154 | 950 |
|  | VC-PK 250 | 250 | 194 | 1310 |
|  | VC-PK 250 Q | 250 | 158 | 1190 |
|  | VC-PK 315 | 315 | 171 | 1400 |
|  | VCS-PK 200 | 200 | 193 | 1100 |
|  | VCS-PK 315 | 315 | 296 | 1880 |