




































Series **VK**
















Inline centrifugal fans in plastic casing







- Motor type: AC
- Impeller type: Centrifugal backward curved blades
- Casing material: Plastic
- Control: Built-in speed controller

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m <sup>3</sup> /h	Cable with mains plug	Temperature sensor
 VK 100	100	80	250	×	
 VK 100 Q	100	62	205	×	×
 VK 125	125	79	355	×	×
 VK 125 Q	125	61	260	×	×
 VK 150	150	80	460	×	×
 VK 200	200	107	780	×	×
 VK 250	250	173	1080	×	×

 VK 250 Q	250	108	865	✗	✗
 VK 315	315	200	1340	✗	✗
 VKS 200	200	173	930	✗	✗
 VKS 315	315	310	1700	✗	✗
 VK 100 R1	100	80	250	✓	
 VK 100 P	100	80	250	✓	
 VK 100 U	100	80	250	✓	✓
 VK 100 Un	100	80	250	✓	✓
 VK 100 Q R1	100	62	205	✓	✗
 VK 100 Q P	100	62	205	✓	✗
 VK 100 Q U	100	62	205	✓	✓
 VK 100 Q Un	100	62	205	✓	✓
 VK 125 R1	125	79	355	✓	✗
 VK 125 P	125	79	355	✓	✗

	VK 125 U	125	79	355	✓	✓
	VK 125 Un	125	79	355	✓	✓
	VK 125 Q R1	125	61	260	✓	✗
	VK 125 Q P	125	61	260	✓	✗
	VK 125 Q U	125	61	260	✓	✓
	VK 125 Q Un	125	61	260	✓	✓
	VK 150 R1	150	80	460	✓	✗
	VK 150 P	150	80	460	✓	✗
	VK 150 U	150	80	460	✓	✓
	VK 150 Un	150	80	460	✓	✓
	VK 200 R1	200	107	780	✓	✗
	VK 200 P	200	107	780	✓	✗
	VK 200 U	200	107	780	✓	✓
	VK 200 Un	200	107	780	✓	✓

 VK 250 R1	250	173	1080	✓	✗
 VK 250 P	250	173	1080	✓	✗
 VK 250 U	250	173	1080	✓	✓
 VK 250 Un	250	173	1080	✓	✓
 VK 250 Q R1	250	108	865	✓	✗
 VK 250 Q P	250	108	865	✓	✗
 VK 250 Q U	250	108	865	✓	✓
 VK 250 Q Un	250	108	865	✓	✓
 VK 315 R1	315	200	1340	✓	✗
 VK 315 P	315	200	1340	✓	✗
 VK 315 U	315	200	1340	✓	✓
 VK 315 Un	315	200	1340	✓	✓
 VKS 200 R1	200	173	930	✓	✗
 VKS 200 P	200	173	930	✓	✗

 VKS 200 U	200	173	930	✓	✓
 VKS 200 Un	200	173	930	✓	✓
 VKS 315 R1	315	310	1700	✓	✗
 VKS 315 P	315	310	1700	✓	✗
 VKS 315 U	315	310	1700	✓	✓
 VKS 315 Un	315	310	1700	✓	✓