








## Series **VK EC**



Centrifugal inline fans in plastic casings with EC-motors

- Motor type: EC
- Impeller type: Centrifugal backward curved blades
- Casing material: Polypropylene/Thermoplastic elastomer
- Control: Built-in speed controller

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m <sup>3</sup> /h	Cable with mains plug	Temperature sensor
 VK 100 EC	100	82	340	✗	✗
 VK 125 EC	125	84	420	✗	✗
 VK 150 EC	160/150	82	630	✗	✗
 VK 200 EC	200	84	885	✗	✗
 VK 250 EC	250	165	1250	✗	✗
 VK 315 EC	315	165	1500	✗	✗
 VK 100 EC R1	100	82	340	✓	✗

	VK 100 EC P	100	82	340	✓	✗
	VK 100 EC U	100	82	340	✓	✓
	VK 100 EC Un	100	82	340	✓	✓
	VK 125 EC R1	125	84	420	✓	✗
	VK 125 EC P	125	84	420	✓	✗
	VK 125 EC U	125	84	420	✓	✓
	VK 125 EC Un	125	84	420	✓	✓
	VK 150 EC R1	160/150	82	630	✓	✗
	VK 150 EC P	160/150	82	630	✓	✗
	VK 150 EC U	160/150	82	630	✓	✓
	VK 150 EC Un	160/150	82	630	✓	✓
	VK 200 EC R1	200	84	885	✓	✗
	VK 200 EC P	200	84	885	✓	✗
	VK 200 EC U	200	84	885	✓	✓

 VK 200 EC Un	200	84	885	✓	✓
 VK 250 EC R1	250	165	1250	✓	✗
 VK 250 EC P	250	165	1250	✓	✗
 VK 250 EC U	250	165	1250	✓	✓
 VK 250 EC Un	250	165	1250	✓	✓
 VK 315 EC R1	315	165	1500	✓	✗
 VK 315 EC P	315	165	1500	✓	✗
 VK 315 EC U	315	165	1500	✓	✓
 VK 315 EC Un	315	165	1500	✓	✓