

Series **VN**



Wall-mounted centrifugal high-resistance fans in a plastic casing with vertical air discharge and an additional right side spigot

- Control: Wired control panel
- Casing material: Plastic
- Humidity sensor: Built-in
- Timer: Built-in
- Motion sensor

Lineup	Connected air duct size, mm	Maximum airflow, m ³ /h	Sound pressure level LpA at 3 m, dB(A)
 VN-1A 80	80	63	36
 VN-1E 80	80	100	38
 VN-A 80	80	63	36
 VN-B 80	80	102	46
 VN-E 80	80	100	38
 VN-1A 80 H	80	63	36
 VN-1A 80 I	80	63	36

	VN-1A 80 K	80	63	36
	VN-1A 80 K H	80	63	36
	VN-1A 80 K I	80	63	36
	VN-1A 80 K T	80	63	36
	VN-1A 80 K TR	80	63	36
	VN-1A 80 K2	80	63	36
	VN-1A 80 K2 H	80	63	36
	VN-1A 80 K2 I	80	63	36
	VN-1A 80 K2 T	80	63	36
	VN-1A 80 K2 TR	80	63	36
	VN-1A 80 T	80	63	36
	VN-1A 80 TR	80	63	36
	VN-1E 80 H	80	100	38
	VN-1E 80 I	80	100	38

	VN-1E 80 K	80	100	38
	VN-1E 80 K H	80	100	38
	VN-1E 80 K I	80	100	38
	VN-1E 80 K T	80	100	38
	VN-1E 80 K TR	80	100	38
	VN-1E 80 K2	80	100	38
	VN-1E 80 K2 H	80	100	38
	VN-1E 80 K2 I	80	100	38
	VN-1E 80 K2 T	80	100	38
	VN-1E 80 K2 TR	80	100	38
	VN-1E 80 T	80	100	38
	VN-1E 80 TR	80	100	38
	VN-A 80 H	80	63	36
	VN-A 80 I	80	63	36

	VN-A 80 K	80	63	36
	VN-A 80 K H	80	63	36
	VN-A 80 K I	80	63	36
	VN-A 80 K T	80	63	36
	VN-A 80 K TR	80	63	36
	VN-A 80 K2	80	63	36
	VN-A 80 K2 H	80	63	36
	VN-A 80 K2 I	80	63	36
	VN-A 80 K2 T	80	63	36
	VN-A 80 K2 TR	80	63	36
	VN-A 80 T	80	63	36
	VN-A 80 TR	80	63	36
	VN-B 80 H	80	102	46
	VN-B 80 I	80	102	46

	VN-B 80 K	80	102	46
	VN-B 80 K H	80	102	46
	VN-B 80 K I	80	102	46
	VN-B 80 K T	80	102	46
	VN-B 80 K TR	80	102	46
	VN-B 80 K2	80	102	46
	VN-B 80 K2 H	80	102	46
	VN-B 80 K2 I	80	102	46
	VN-B 80 K2 T	80	102	46
	VN-B 80 K2 TR	80	102	46
	VN-B 80 T	80	102	46
	VN-B 80 TR	80	102	46
	VN-E 80 H	80	100	38
	VN-E 80 I	80	100	38

	VN-E 80 K	80	100	38
	VN-E 80 K H	80	100	38
	VN-E 80 K I	80	100	38
	VN-E 80 K T	80	100	38
	VN-E 80 K TR	80	100	38
	VN-E 80 K2	80	100	38
	VN-E 80 K2 H	80	100	38
	VN-E 80 K2 I	80	100	38
	VN-E 80 K2 T	80	100	38
	VN-E 80 KTR	80	100	38
	VN-E 80 T	80	100	38
	VN-E 80 TR	80	100	38