







Series **VUE PBE EC**



Ceiling mounted air handling units in compact heat- and sound-insulated casing with an electric heater equipped with an enthalpy counter-flow heat exchanger

- Heat exchanger type: Counter flow
- Sound insulation
- Motor type: EC
- Enthalpy heat exchanger
- Bypass: Auto
- Reheater: Electric
- Preheater: Optional
- BMS protocol: ModBus
- Control: Smartphone
- Casing material: Galvanized steel
- Humidity sensor: Optional

Lineup	Connected air duct size, mm	Speed	Phases	Maximum supply voltage, V	Power of electrical reheater, W	Heat recovery efficiency, max, %	Heat exchanger material	Extract filter	Supply filter	Service side	Control system	Reheater	Preheater	BMS protocol
 VUE 300 PBE EC R A21 DTV	160	1	1	230	1500	87	Polystyrene	G4	G4 (F7 option)	Right	A21	Electric	Optional	ModBus
 VUE 300 PBE EC L A21 DTV	160	1	1	230	1500	87	Enthalpy	G4	G4 (F7 option)	Left	A21	Electric	Optional	ModBus
 VUE 550 PBE EC R A21 DTV	200	1	1	230	2000	87	Enthalpy	G4	G4 (F7 option)	Right	A21	Electric	Optional	ModBus
 VUE 550 PBE EC L A21 DTV	200	1	1	230	2000	87	Enthalpy	G4	G4 (F7 option)	Left	A21	Electric	Optional	ModBus
 VUE 900 PBE EC R A21 DTV	250	1	1	230	3300	85	Enthalpy	G4	G4 (F7 option)	Right	A21	Electric	Optional	ModBus
 VUE 900 PBE EC L A21 DTV	250	1	1	230	3300	85	Enthalpy	G4	G4 (F7 option)	Left	A21	Electric	Optional	ModBus