









# Series VUTR 200 VK EC



Air handling units in a heat- and sound-insulated casing

- Heat exchanger type: Rotary
- Sound insulation
- Motor type: EC
- Bypass: Auto
- BMS protocol: ModBus
- Control: Smartphone
- Casing material: Steel
- Humidity sensor: Optional
- Reheater: Built-in

Lineup	Connected air duct size, mm	Maximum airflow, m <sup>3</sup> /h	Sound pressure level LpA at 3 m, dB(A)	Heat recovery efficiency, max, %	Extract filter	Supply filter	Service side	Control system	BMS protocol	Power of electrical reheater, W	Reheater
 VUTR 200 VK EC L A21	125	270	33	93	G4	G4 (F7 optional)	Left	A21	ModBus		
 VUTR 200 VK EC R A21	125	270	33	93	G4	G4 (F7 optional)	Right	A21	ModBus		
 VUTR 200 VKS EC L A21	125	270	33	93	G4	G4 (F7 optional)	Left	A21	ModBus		
 VUTR 200 VKS EC R A21	125	270	33	93	G4	G4 (F7 optional)	Right	A21	ModBus		
 VUTR 200 VEK EC L A21	125	270	33	93	G4	G4 (F7 optional)	Left	A21	ModBus	700	Built-in
 VUTR 200 VEK EC R A21	125	270	33	93	G4	G4 (F7 optional)	Right	A21	ModBus	700	Built-in
 VUTR 200 VEKS EC L A21	125	270	33	93	G4	G4 (F7 optional)	Left	A21	ModBus	700	Built-in

	VUTR 200 VEKS EC R A21	125	270	33	93	G4	G4 (F7 optional)	Right	A21	ModBus	700	Built-in
---	------------------------	-----	-----	----	----	----	------------------	-------	-----	--------	-----	----------