









Series **VUTR 351 P EC**

Air handling units in heat- and sound-insulated casing. Air flow up to 497 m³/h.

- Heat exchanger type: Sorption rotary
- Sound insulation
- Motor type: EC
- Bypass: Auto
- BMS protocol: ModBus
- Control: Smartphone
- Casing material: Coated steel
- Humidity sensor: Optional
- Reheater: Built-in
- Enthalpy heat exchanger



Lineup	Connected air duct size, mm	Speed	Maximum airflow, m ³ /h	Sound pressure level LpA at 3 m, dB(A)	Heat recovery efficiency, max, %	Extract filter	Supply filter	Service side	Control system	BMS protocol	Power of electrical reheater, W	Reheater
 VUTR 351 P EC R A21	200	1	513	31	88	G4 / Coarse > 60%	G4 / Coarse > 60% (option F7 / ePM1 60%)	Right	A21	ModBus		
 VUTR 351 P EC L A21	200	1	513	31	88	G4 / Coarse > 60%	G4 / Coarse > 60% (option F7 / ePM1 60%)	Left	A21	ModBus		
 VUTR 351 PE EC R A21	200	1	513	31	88	G4 / Coarse > 60%	G4 / Coarse > 60% (option F7 / ePM1 60%)	Right	A21	ModBus	1200	Built-in
 VUTR 351 PE EC L A21	200	1	513	31	88	G4 / Coarse > 60%	G4 / Coarse > 60% (option F7 / ePM1 60%)	Left	A21	ModBus	1200	Built-in
 VUER 351 P EC R A21	200	1	513	31	82	G4 / Coarse > 60%	G4 / Coarse > 60% (option F7 / ePM1 60%)	Right	A21	ModBus		
 VUER 351 P EC L A21	200	1	513	31	82	G4 / Coarse > 60%	G4 / Coarse > 60% (option F7 / ePM1 60%)	Left	A21	ModBus		

 VUER 351 PE EC R A21	200	1	513	31	82	G4 / Coarse > 60%	G4 / Coarse > 60% (option F7 / ePM1 60%)	Right	A21	ModBus	1200	Built-in
 VUER 351 PE EC L A21	200	1	513	31	82	G4 / Coarse > 60%	G4 / Coarse > 60% (option F7 / ePM1 60%)	Left	A21	ModBus	1200	Built-in