






















Series **X1**


Axial fans for exhaust ventilation

- Motor type: AC
- Casing material: Plastic
- Timer: Turn off timer
- Humidity sensor

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m ³ /h	Sound pressure level LpA at 3 m, dB(A)	Pull cord	Humidity sensor	Timer
 100 X1	100	14	99	33	×	×	×
 100 X1 K	100	14	99	33	×	×	×
 100 X1 L	100	14	99	33	×	×	×
 100 X1 turbo	100	16	129	37	×	×	×
 100 X1 12	100	14	86	33	×	×	×
 100 X1 K 12	100	14	86	33	×	×	×

 100 X1 L turbo	100	16	129	37	✗	✗	✗
 125 X1	125	16	185	34	✗	✗	✗
 125 X1 V	125	16	185	34	✓	✗	✗
 125 X1 K	125	16	185	34	✗	✗	✗
 125 X1 L	125	16	185	34	✗	✗	✗
 125 X1 T	125	16	185	34	✗	✗	✓
 125 X1 TH	125	16	185	34	✗	✓	✓
 125 X1 L turbo	125	24	232	37	✗	✗	✗
 125 X1 turbo	125	24	232	37	✗	✗	✗
 125 X1 12	125	16	160	34	✗	✗	✗
 150 X1	150	24	295	37	✗	✗	✗
 150 X1 K	150	24	295	37	✗	✗	✗
 150 X1 L	150	24	295	37	✗	✗	✗
 150 X1 turbo	150	29	345	41	✗	✗	✗

	150 X1 L turbo	150	29	345	41	×	×	×
-----------------------------------------------------------------------------------	----------------	-----	----	-----	----	---	---	---